

RCW 70.74.050 Quantity and distance table for explosives manufacturing buildings. All explosives manufacturing buildings shall be located one from the other and from other buildings on explosives manufacturing plants in which persons are regularly employed, and all magazines shall be located from factory buildings and buildings on explosives plants in which persons are regularly employed, in conformity with the intraexplosives plant quantity and distance table below set forth:

EXPLOSIVES		
Pounds Over	Pounds Not Over	Distance Feet
		Separate Building or Within Substantial Dividing Walls
....	10	
10	25	40
25	50	60
50	100	80
100	200	100
200	300	120
300	400	130
400	500	140
500	750	160
750	1,000	180
1,000	1,500	210
1,500	2,000	230
2,000	3,000	260
3,000	4,000	280
4,000	5,000	300
5,000	6,000	320
6,000	7,000	340
7,000	8,000	360
8,000	9,000	380
9,000	10,000	400
10,000	12,500	420
12,500	15,000	450
15,000	17,500	470
17,500	20,000	490
20,000	25,000	530
25,000	30,000	560
30,000	35,000	590
35,000	40,000	620
40,000	45,000	640
45,000	50,000	660
50,000	55,000	680
55,000	60,000	700
60,000	65,000	720
65,000	70,000	740
70,000	75,000	770
75,000	80,000	780
80,000	85,000	790
85,000	90,000	800
90,000	95,000	820
95,000	100,000	830
100,000	125,000	900
125,000	150,000	950
150,000	175,000	1,000
175,000	200,000	1,050
200,000	225,000	1,100
225,000	250,000	1,150

[1972 ex.s. c 88 s 8; 1931 c 111 s 5; RRS s 5440-5.]