

**WAC 51-11C-303131 Table C303.1.3(1)—Default glazed window, glass door and skylight U-factors.**

**Table C303.1.3(1)  
Default Glazed Window, Glass Door  
and Skylight U-Factors**

| FRAME TYPE               | Window and Glass Door |             | SKY-LIGHT             |
|--------------------------|-----------------------|-------------|-----------------------|
|                          | SINGLE PANE           | DOUBLE PANE |                       |
| Metal                    | 1.20                  | 0.80        | See Table C303.1.3(4) |
| Metal with Thermal Break | 1.10                  | 0.65        |                       |
| Nonmetal or Metal Clad   | 0.95                  | 0.55        |                       |
| Glazed Block             | 0.60                  |             |                       |

[Statutory Authority: RCW 19.27A.020, 19.27A.025, 19.27A.160 and chapter 19.27 RCW. WSR 19-24-040, § 51-11C-303131, filed 11/26/19, effective 7/1/20. Statutory Authority: RCW 19.27A.025, 19.27A.160, and 19.27.074. WSR 16-03-072, § 51-11C-303131, filed 1/19/16, effective 7/1/16. Statutory Authority: RCW 19.27A.020, 19.27A.025 and chapters 19.27 and 34.05 RCW. WSR 13-04-056, § 51-11C-303131, filed 2/1/13, effective 7/1/13.]