

(Effective until March 1, 2022.)

WAC 246-215-05565 Facilities on the premises, operation and maintenance—Covering receptacles (2009 FDA Food Code 5-501.113). Receptacles and waste handling units for REFUSE, recyclables, and returnables must be kept covered:

(1) Inside the FOOD ESTABLISHMENT if the receptacles and units:

(a) Contain FOOD residue and are not in continuous use; or

(b) After they are filled; and

(2) With tight fitting lids or doors if kept outside the FOOD ESTABLISHMENT.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05565, filed 1/17/13, effective 5/1/13.]

(Effective March 1, 2022.)

WAC 246-215-05565 Facilities on the premises, operation and maintenance—Covering receptacles (FDA Food Code 5-501.113). Receptacles and waste handling units for REFUSE, recyclables, and returnables must be kept covered:

(1) Inside the FOOD ESTABLISHMENT if the receptacles and units:

(a) Contain FOOD residue and are not in continuous use; or

(b) After they are filled; and

(2) With tight fitting lids or doors if kept outside the FOOD ESTABLISHMENT.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 21-01-122, § 246-215-05565, filed 12/15/20, effective 3/1/22; WSR 13-03-109, § 246-215-05565, filed 1/17/13, effective 5/1/13.]