

**WAC 296-304-06002 Sanitation.** (1) General requirements.

(a) You must provide adequate and readily accessible sanitation facilities.

(b) You must establish and implement a schedule for servicing, cleaning, and supplying each facility to ensure it is maintained in a clean, sanitary, and serviceable condition.

(2) Potable water. You must provide potable water for all employee health and personal needs and ensure that only potable water is used for these purposes.

(a) You must provide potable drinking water in amounts that are adequate to meet the health and personal needs of each employee.

(b) You must dispense drinking water from a fountain, a covered container with single-use drinking cups stored in a sanitary receptacle, or single-use bottles. You must prohibit the use of shared drinking cups, dippers, and water bottles.

(3) Nonpotable water.

(a) You may use nonpotable water for other purposes such as fire-fighting and cleaning outdoor premises so long as it does not contain chemicals, fecal matter, coliform, or other substances at levels that may create a hazard for employees.

(b) You must clearly mark nonpotable water supplies and outlets as "not safe for health or personal use."

(4) Toilets.

(a) General requirements. You must ensure that sewer and portable toilets:

(i) Provide privacy at all times. When a toilet facility contains more than one toilet, each toilet must occupy a separate compartment with a door and walls or partitions that are sufficiently high to ensure privacy; and

(ii) Are separate for each sex, except as provided in (a)(ii)(B) of this subsection;

(A) The number of toilets provided for each sex must be based on the maximum number of employees of that sex present at the worksite at any one time during a workshift. A single occupancy toilet room must be counted as one toilet regardless of the number of toilets it contains; and

(B) You do not have to provide separate toilet facilities for each sex when they will not be occupied by more than one employee at a time, can be locked from the inside, and contain at least one toilet.

(iii) You must establish and implement a schedule to ensure that each sewer and portable toilet is maintained in a clean, sanitary, and serviceable condition.

(b) Minimum number of toilets. You must provide at least the following number of toilets for each sex. Portable toilets that meet the requirements in (c) of this subsection may be included in the minimum number of toilets.

**Table F-1  
Minimum Number of Toilets**

<b>Number of employees of each sex</b>	<b>Minimum number of toilets per sex</b>
1 to 15	1
16 to 35	2
36 to 55	3
56 to 80	4
81 to 110	5

Number of employees of each sex	Minimum number of toilets per sex
111 to 150	6
Over 150	1 additional toilet for each additional 40 employees

**Note to Table F-1:** When toilets will only be used by men, urinals may be provided instead of toilets, except that the number of toilets in such cases must not be reduced to less than two-thirds of the minimum specified.

(c) Portable toilets.

(i) You must provide portable toilets, pursuant to paragraph (4)(b) of this section and Table F-1, only when you demonstrate that it is not feasible to provide seweried toilets, or when there is a temporary increase in the number of employees for a short duration of time.

(ii) You must ensure that each portable toilet is vented and equipped, as necessary, with lighting.

(d) Exception for normally unattended worksites and mobile work crews. The requirement to provide toilets does not apply to normally unattended worksites and mobile work crews, provided that you ensure that employees have immediately available transportation to readily accessible sanitation facilities that are maintained in a clean, sanitary, and serviceable condition and meet the other requirements of this section.

(5) Handwashing facilities.

(a) You must provide handwashing facilities at or adjacent to each toilet facility.

(b) You must ensure that each handwashing facility:

(i) Is equipped with either hot and cold or lukewarm running water and soap, or with waterless skin-cleansing agents that are capable of disinfecting the skin or neutralizing the contaminants to which the employee may be exposed; and

(ii) If the facility uses soap and water, it is supplied with clean, single-use hand towels stored in a sanitary container and a sanitary means for disposing of them, clean individual sections of continuous cloth toweling, or a hand-drying air blower.

(c) You must inform each employee engaged in the application of paints or coatings or in other operations in which hazardous or toxic substances can be ingested or absorbed about the need for removing surface contaminants from their skin's surface by thoroughly washing their hands and face at the end of the workshift and prior to eating, drinking, or smoking.

(6) Showers.

(a) When showers are required by an OSHA standard, you must provide one shower for each ten, or fraction of ten, employees of each sex who are required to shower during the same workshift.

(b) You must ensure that each shower is equipped with soap, hot and cold water, and clean towels for each employee who uses the shower.

(7) Changing rooms. When you provide protective clothing to prevent employee exposure to hazardous or toxic substances, you must provide the following:

(a) Changing rooms that provide privacy for each sex; and

(b) Storage facilities for street clothes, as well as separate storage facilities for protective clothing.

(8) Eating, drinking, and break areas. You must ensure that food, beverages, and tobacco products are not consumed or stored in any area where employees may be exposed to hazardous or toxic substances.

(9) Waste disposal.

(a) You must provide waste receptacles that meet the following requirements:

(i) Each receptacle is constructed of materials that are corrosion resistant, leak-proof, and easily cleaned or disposable;

(ii) Each receptacle is equipped with a solid tight-fitting cover, unless it can be kept in clean, sanitary, and serviceable condition without the use of a cover;

(iii) Receptacles are provided in numbers, sizes, and locations that encourage their use; and

(iv) Each receptacle is emptied as often as necessary to prevent it from overflowing and in a manner that does not create a hazard for employees. Waste receptacles for food must be emptied at least every day, unless unused.

(b) You must not permit employees to work in the immediate vicinity of uncovered garbage that could endanger their safety and health.

(c) You must ensure that employees working beneath or on the outboard side of a vessel are not contaminated by drainage or waste from overboard discharges.

(10) Vermin control.

(a) To the extent reasonably practicable, you must clean and maintain the workplace in a manner that prevents vermin infestation.

(b) Where vermin are detected, you must implement and maintain an effective vermin-control program.

[Statutory Authority: RCW 49.17.010, 49.17.040, 49.17.050, and 49.17.060. WSR 17-18-075, § 296-304-06002, filed 9/5/17, effective 10/6/17. Statutory Authority: RCW 49.17.010, 49.17.040, 49.17.050, 49.17.060, and chapter 49.17 RCW. WSR 12-12-060, § 296-304-06002, filed 6/5/12, effective 8/1/12.]